

, OUR PHARMACIST RECOMMENDS:



SUPERIOR PROBIOTIC

30 Billion CFU/Gram with 3% Prebiotic FOS

Promote the growth of healthy bacteria while taking an antibiotic!

- Reduce the risk of yeast infection.
- Reduce side effects like diarrhea.
- Boost your immune system.
- Reduce the risk of C-Diff.

Suggested Use with Antibiotic: Take 2 caps two times a day while taking antibiotic, and 2 capsules at bedtime until gone.

NOTES:

*These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

, OUR PHARMACIST RECOMMENDS:



SUPERIOR PROBIOTIC

30 Billion CFU/Gram with 3% Prebiotic FOS

Promote the growth of healthy bacteria while taking an antibiotic!

- Reduce the risk of yeast infection.
- Reduce side effects like diarrhea.
- Boost your immune system.
- Reduce the risk of C-Diff.

Suggested Use with Antibiotic: Take 2 caps two times a day while taking antibiotic, and 2 capsules at bedtime until gone.

NOTES:

*These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

, OUR PHARMACIST RECOMMENDS:



SUPERIOR PROBIOTIC

30 Billion CFU/Gram with 3% Prebiotic FOS

Promote the growth of healthy bacteria while taking an antibiotic!

- Reduce the risk of yeast infection.
- Reduce side effects like diarrhea.
- Boost your immune system.
- Reduce the risk of C-Diff.

Suggested Use with Antibiotic: Take 2 caps two times a day while taking antibiotic, and 2 capsules at bedtime until gone.

NOTES:

*These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

, OUR PHARMACIST RECOMMENDS:



SUPERIOR PROBIOTIC

30 Billion CFU/Gram with 3% Prebiotic FOS

Promote the growth of healthy bacteria while taking an antibiotic!

- Reduce the risk of yeast infection.
- Reduce side effects like diarrhea.
- Boost your immune system.
- Reduce the risk of C-Diff.

Suggested Use with Antibiotic: Take 2 caps two times a day while taking antibiotic, and 2 capsules at bedtime until gone.

NOTES:

*These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.